

American River Flood Control District

Purchase of Canycom S25A Tracked Dumper from Pioneer Machinery

Staff Report

Discussion:

The District seeks to purchase a used Canycom S25A Tracked Dumper from Pioneer Machinery in Woodland, California. District crews have rented the particular piece of equipment from Pioneer Machinery and were very impressed with the capabilities and attributes of the specialized piece of equipment. The Canycom S25A is much narrower than existing equipment at the District and allows the crew to get into much tighter spaces and dump material such as dirt or rock precisely where it is needed. Acquisition of the Canycom S25A would allow the District to continue performing important flood maintenance in tight spaces with less risk of damaging property or vegetation. Since the Canycom S25A is both narrow and rubber tracked, it can get into spots that no other equipment can reach. The Canycom S25A would unlock a great potential of new and more thorough maintenance that would otherwise be out of reach.

Since the equipment is in used condition, it can be acquired at a much reduced cost from that of new equipment. Also, the seller, Pioneer Machinery, offered to deduct the two months of rental cost from the sale price of the Canycom S25A. The final price (with the discount) amounts to \$20,960.00.

Current prices online for a Canycom S25A range from \$48,000 to \$55,000.

Recommendation:

The General Manager recommends that the Board of Trustees approve the purchase of the Canycom S25A Tracked Dumper from Pioneer Machinery for the price of \$20,960.00.



Customer: American River Flood Control
185 Commerce Cir
Sacramento, CA 95815

Customer Number	Invoice Date	Sales Description	Equipment Number	Salesman
	01/17/2024	Canycom	795	J Willis

Serial Number	DESCRIPTION	AMOUNT
9160795	Used Canycom S25A	\$ 20,960.00

SUBTOTAL	\$ 20,960.00
TAX RATE	8.75%
SALES TAX	\$ 1,834.00
FREIGHT	
TOTAL DUE	\$ 22,794.00

Thank you for your business!

Notice: When operated in California, any off-road diesel vehicle may be subject to the California Air Resources Board In-Use Off-road Diesel Vehicle Regulation. It therefore could be subject to retrofit or celerated turnover requirements to reduce emission of air pollutant. For more information, please visit the California Air Resoruce Board website at <http://www.arb.ca.gov/msprog/ordiesel.htm>



The SC75 Concrete Buggy
» Watch Promo Video on
YouTube

Canycom International



[HOME](#)

[PRODUCTS](#)

[PARTS LISTS](#)

[NEWS](#)

[GALLERY](#)



[ABOUT US](#)

[CONTACT](#)

S25A Heavy-duty Carrier with 180° Pivoting Dump



The Canycom S25A Heavy-duty Carrier with 180° Pivoting Dump Box is designed for excellent performance and precise maneuverability in extreme conditions. The 46 HP Kubota Diesel engine hauls up to 5510 LBS and climbs grades up to 25° with ease.



A hydraulically operated 180° swivel dump simplifies the loading and unloading of material even on what seems like impassable, narrow terrain, while the 90° dumping angle ensures an efficient unloading process. The 180° pivoting dump

PRODUCT INFO

S SERIES

- ◆ S300PD
- ◆ S25A
- ◆ S160
- ◆ S100A
- ◆ S100

SC SERIES

- ◆ SC75
- ◆ SC45

BP SERIES

- ◆ BFP602
- ◆ BP419
- ◆ SC45

EJ SERIES

- ◆ EJ20

box reduces ground impact and increases maneuverability in tight spaces, saving the operator time and money.

▪



The convenient pivoting operator's station features an ergonomic seat that swivels with the control unit, for a quick and simple change of direction and maximum visibility during operation.



A heavy duty rubber track undercarriage and chassis reduce impact on the ground with balanced weight distribution. Four sea-

saw type rollers maintain a comfortable, even ride even in difficult terrain as well as help absorb shock to the undercarriage and keep maintenance costs down.

The S25A rubber track carrier offers state of the art performance to increase productivity with low maintenance costs to improve your bottom line.



Air Cleaner



Instrument Panel



Fully Opening Engine
Compartment

S25A SPECIFICATIONS

Payload (lbs.)	5,510
Weight (lbs.)	5,176
Length x Width x Height (in.)	147 x 66 x 94
Bed Inner Length x Width x Height (in.)	86 x 52 x 20

CG SERIES

Item 4

◆ CG510

◆ CG431

◆ CG101

CMX SERIES

◆ CMX1402


◆ CMX2402

Recent Posts

Now Available! Propane
Powered Concrete Buggy
with 180° Pivoting Deck

Engine Model	Kubota V2203
Engine Type	46 H.P. Diesel
Starter	Electric
Transmission	2 Speed Hydrostatic
Speed (mph)	0-7.0


Dimensions



Parts List

To see the Parts List of this product, click [here](#).

Download Printable Catalog



(4-Page PDF Size: 2.6MB)

* To view this file, you need Adobe Acrobat Reader. For free download, click [here](#).

©2015 Canycom USA, Inc.

PO Box 58190 Tukwila, WA 98138 | P:888-450-0381 / 425-450-0381 | F:360-800-6757

A SiteOrigin Theme